

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 8/23/1962  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Human Immunodeficiency Virus 1 (HIV-1) by Quantitative NAAT, CSF**

ARUP test code 3000872

HIV-1 Qnt by NAAT, CSF (copies/mL) 1,636

HIV-1 Qnt by NAAT, CSF (log copies/mL) 3.21 log cpy/mL

HIV-1 Qnt by NAAT Interp, CSF **Detected** \* (Ref Interval: Not Detected)

INTERPRETIVE INFORMATION: HIV-1 by Quantitative NAAT, CSF

Normal range for this assay is "Not Detected".  
The quantitative range of this assay is 1.47-7.00 log copies/mL (30-10,000,000 copies/mL).

An interpretation of "Not Detected" does not rule out the presence of inhibitors or HIV-1 RNA concentration below the level of detection of the assay. Care should be taken in the interpretation of any single viral load determination. The clinical significance of changes in HIV-1 RNA concentration has not been fully established; however, a change of 0.5 log copies/mL may be significant.

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular Tissue-Based Products (HCT/P).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

**H=High, L=Low, \*=Abnormal, C=Critical**

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
HIV-1 Qnt by NAAT, CSF (copies/mL)	23-090-402262	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HIV-1 Qnt by NAAT, CSF (log copies/mL)	23-090-402262	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HIV-1 Qnt by NAAT Interp, CSF	23-090-402262	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 23-090-402262  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 4/11/2023 2:24:33 PM  
4848