

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/31/1752
Gender: Unknown
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Alpha-Amino-3-hydroxy-5-methyl-4-isoxazolepropionic Acid (AMPA) Receptor Antibody, IgG by IFA with Reflex to Titer, CSF

ARUP test code 3001257

AMPA Receptor Ab IgG Screen, CSF

Detected * (Ref Interval: < 1:1)

AMPA Receptor Antibody, IgG is detected. Titer results to follow.

INTERPRETIVE INFORMATION: AMPA Receptor Ab IgG Screen, CSF

Alpha-amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid receptor (AMPA) antibody is found in a subset of patients with autoimmune limbic encephalitis and may occur with or without associated tumor. Decreasing antibody levels may be associated with therapeutic response; therefore, clinical correlation must be strongly considered. A negative test result does not rule out a diagnosis of autoimmune encephalitis.

This indirect fluorescent antibody assay utilizes AMPAR transfected cell lines for the detection and semi-quantification of AMPAR IgG antibody.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement D: aruplab.com/CS

Alpha-amino-3-hydroxy-5-methyl-4-isoxazolepropionic Acid (AMPA) Receptor Antibody Titer, IgG, CSF (Reflex of 3001257 AMPA CSF - Not orderable by clients)

ARUP test code 3001263

AMPA Receptor Ab IgG Titer, CSF

1:80 * (Ref Interval: < 1:1)

INTERPRETIVE INFORMATION: AMPA Receptor Ab IgG Titer, CSF

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement D: aruplab.com/CS

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-238-101653
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 2 | Printed: 12/7/2020 11:36:02 AM
4848

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
AMPA Receptor Ab IgG Screen, CSF	20-238-101653	8/25/2020 7:17:00 AM	8/25/2020 7:18:18 AM	8/25/2020 7:20:00 AM
AMPA Receptor Ab IgG Titer, CSF	20-238-101653	8/25/2020 7:17:00 AM	8/25/2020 7:20:11 AM	8/25/2020 7:20:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-238-101653
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 12/7/2020 11:36:02 AM
4848