

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 1/1/1960
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Liver Fibrosis - FibroMeter Vibration Controlled Transient Elastography (FibroMeter plus FibroScan VCTE)

ARUP test code 3001379

Aspartate Aminotransferase, FibroMeter **150 U/L H** (Ref Interval: 9-40)

Gamma Glutamyl Transferase, FibroMeter **150 U/L H** (Ref Interval: 7-33)

Alpha-2-Macroglobulin, FibroMeter **500 mg/dL H** (Ref Interval: 131-293)

FibroMeter Platelet Count 90 k/uL

Fibrometer Prothrombin Index 100 % (Ref Interval: 90-120)

EER Fibrometer VCTE Report

See Note
Access ARUP Enhanced Report using the link below:
-Direct access:

FibroMeter VCTE Metavir Classification F4

FibroMeter VCTE Interpretation See Note

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

INTERPRETIVE INFORMATION: Liver Fibrosis, FibroMeter VCTE (FibroMeter plus FibroScan)

FibroMeter VCTE is intended to assess liver fibrosis in patients with chronic hepatitis B or C (with or without HIV co-infection) or with non-alcoholic fatty liver disease (NAFLD). A proprietary algorithm was used to integrate the liver stiffness results (measured by FibroScan) with the results of five blood markers plus information on age and gender to provide a liver fibrosis score of 0-1 and a correlated fibrosis stage (Metavir F0-F4).

If no evidence was provided to indicate the patient's prothrombin index or platelet count has been affected by other conditions, the standard algorithm was used. Conditions that may affect prothrombin index include anticoagulant medications, vitamin K deficiency, and bleeding disorders. Conditions that may affect platelet count include thrombocytopenia, anemia, and leukemia.

Note: This test is not indicated for patients with conditions affecting BOTH the prothrombin index and platelet counts. If you have questions please contact ARUP Client Services at (800) 242-2787.

Results should be interpreted in conjunction with the patient's clinical history. Interpret results with caution if the patient is pregnant, has acute hepatitis or another cause of chronic liver disease, has severe chronic inflammatory disease such as arthritis, has organ failure other than the liver (i.e. kidney), and/or an iron deficiency condition.

Metavir is a histological scoring system for determining the extent of liver fibrosis and inflammation.

STAGE OF FIBROSIS (F scale)

- F0 = no fibrosis
- F1 = portal fibrosis without septa
- F2 = portal fibrosis with few septa
- F3 = numerous septa without cirrhosis
- F4 = cirrhosis

Patient Platelet count and Liver Stiffness results are provided by client.

The Prothrombin Index test expresses the Prothrombin Time (PT) as a percentage of normal, and is used to standardize PT results across different instrument/reagent combinations.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

FibroScan VCTE Liver Stiffness 50.0 kPa

FibroMeter VCTE Score 1

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 19-151-110867
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 3 | Printed: 12/7/2020 3:28:14 PM
4848

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Aspartate Aminotransferase, FibroMeter	19-151-110867	5/31/2019 1:01:00 PM	5/31/2019 1:01:57 PM	5/31/2019 1:33:00 PM
Gamma Glutamyl Transferase, FibroMeter	19-151-110867	5/31/2019 1:01:00 PM	5/31/2019 1:01:57 PM	5/31/2019 1:33:00 PM
Alpha-2-Macroglobulin, FibroMeter	19-151-110867	5/31/2019 1:01:00 PM	5/31/2019 1:01:57 PM	5/31/2019 1:33:00 PM
FibroMeter Platelet Count	19-151-110867	5/31/2019 1:01:00 PM	5/31/2019 1:01:57 PM	5/31/2019 1:33:00 PM
Fibrometer Prothrombin Index	19-151-110867	5/31/2019 1:01:00 PM	5/31/2019 1:01:57 PM	5/31/2019 1:33:00 PM
EER Fibrometer VCTE Report	19-151-110867	5/31/2019 1:01:00 PM	5/31/2019 1:01:57 PM	5/31/2019 1:34:00 PM
FibroMeter VCTE Metavir Classification	19-151-110867	5/31/2019 1:01:00 PM	5/31/2019 1:01:57 PM	5/31/2019 1:34:00 PM
FibroMeter VCTE Interpretation	19-151-110867	5/31/2019 1:01:00 PM	5/31/2019 1:01:57 PM	5/31/2019 1:34:00 PM
FibroScan VCTE Liver Stiffness	19-151-110867	5/31/2019 1:01:00 PM	5/31/2019 1:01:57 PM	5/31/2019 1:33:00 PM
FibroMeter VCTE Score	19-151-110867	5/31/2019 1:01:00 PM	5/31/2019 1:01:57 PM	5/31/2019 1:34:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 19-151-110867
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 3 of 3 | Printed: 12/7/2020 3:28:14 PM
4848