

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/12/1972
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Blastomyces Antigen Quantitative by EIA, Urine

ARUP test code 3001798

Blastomyces dermatitidis EIA, Interp	Not Detected (Ref Interval: Not Detected) INTERPRETIVE INFORMATION: Blastomyces Ag Quant by ELISA, Urine The quantitative range of this assay is 1.25-200 U/mL. Antigen concentrations less than 1.25 U/mL or greater than 200 U/mL fall outside the linear range of the assay and cannot be accurately quantified. This EIA test should be used in conjunction with other diagnostic procedures, including microbiological culture, histological examination of biopsy samples, serology and/or radiographic evidence, to aid in the diagnosis of blastomycosis. Cross-reactivity with other endemic mycoses (Histoplasma and Coccidioides) may occur. Positive test results should be correlated with other clinical findings and relevant exposure history. This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
Blastomyces Antigen, Urine	Not Detected

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Blastomyces dermatitidis EIA, Interp	24-188-101666	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Blastomyces Antigen, Urine	24-188-101666	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical