

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

## Patient: Patient, Example

DOB	2/1/2002
Gender:	Unknown
<b>Patient Identifiers:</b>	01234567890ABCD, 012345
Visit Number (FIN):	01234567890ABCD
<b>Collection Date:</b>	00/00/0000 00:00

## Voltage-Gated Potassium Channel (VGKC) Complex Antibody Panel with Reflex to Titer, CSF ARUP test code 3001996

CASPR2 Ab IgG CBA-IFA Screen, CSF	< 1:1 (Ref Interval: < 1:1) CASPR2 Antibody, IgG is not detected. No further testing will b performed.			
	INTERPRETIVE INFORMATION: CASPR2 Ab IgG CBA-IFA Screen, CSF			
	Contactin-associated protein-2 (CASPR2) IgG antibody may occur as part of the voltage-gated potassium channel (VGKC) complex antibodies.			
	spectrum of clinical manifes neuromyotonia, limbic encept Morvan syndrome. Tumors such and other rarer tumors may disorders and tumors associa continues to be defined. Res	antibody is associated with a wide stations, including acquired nalitis, painful neuropathy, and n as thymoma, small cell lung cancer, occur. The full-spectrum of clinical ated with the CASPR2 IgG antibody sults should be interpreted in t's clinical history and other		
		ntibody assay utilizes CASPR2 the detection and semiquantification		
	determined by ARUP Laborato approved by the US Food and	its performance characteristics ries. It has not been cleared or Drug Administration. This test was ed laboratory and is intended for		
LGI1 Ab IgG CBA-IFA Screen, CSF	< 1:1	(Ref Interval: < 1:1)		
	LGI1 Antibody, IgG is not a performed.	detected. No further testing will be		

## H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com 500 Chipeta Way, Salt Lake City, UT 84108-1221 Jonathan R. Genzen, MD, PhD, Laboratory Director



INTERPRETIVE INFORMATION: LGI1 Ab IgG CBA-IFA Screen, CSF

Leucine-rich, glioma-inactivated 1 protein (LGI1) IgG antibody may occur as part of the voltage-gated potassium channel (VGKC) complex antibodies.

The presence of LGI1 IgG antibody is mainly associated with limbic encephalitis, hyponatremia, and myoclonic movements. LGI1 IgG antibody is rarely associated with tumors but may occur infrequently in Morvan syndrome, neuromyotonia, and idiopathic epilepsy. The full-spectrum of clinical disorders associated with the LGI1 IgG antibody continues to be defined. Results should be interpreted in correlation with the patient's clinical history and other laboratory findings.

This indirect fluorescent antibody assay utilizes LGI1 transfected cell lines for the detection and semi-quantification of the LGI1 IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

INTERPRETIVE INFORMATION: Voltage-Gated Potassium Channel

Voltage-Gated Potassium Channel Ab, CSF

1.0 pmol/L

(Ref Interval: 0.0-1.1)

(VGKC) Antibody, CSF Voltage-Gated Potassium Channel (VGKC) antibodies are associated with neuromuscular weakness as found in neuromyotonia (also known as Issacs syndrome) and Morvan syndrome. VGKC antibodies are also associated with paraneoplastic neurological syndromes and limbic encephalitis; however, VGKC antibody-associated limbic encephalitis; however, VGKC antibody-associated limbic encephalitis may be associated with antibodies to leucine-rich, glioma-inactivated 1 protein (LGI1) or contactin-associated protein-2 (CASPR2) instead of potassium channel antigens. A substantial number of VGKC-antibody positive cases are negative for LGI1 and CASPR2 IgG autoantibodies, not all VGKC complex antigens are known. The clinical significance of this test can only be determined in conjunction with the patient's clinical history and related laboratory testing.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com 500 Chipeta Way, Salt Lake City, UT 84108-1221 Jonathan R. Genzen, MD, PhD, Laboratory Director Patient: Patient, Example ARUP Accession: 23-241-112439 Patient Identifiers: 01234567890ABCD, 012345 Visit Number (FIN): 01234567890ABCD Page 2 of 3 | Printed: 9/13/2023 1:45:14 PM 4848



VERIFIED/REPORTED DATES					
Procedure	Accession	Collected	Received	Verified/Reported	
CASPR2 Ab IgG CBA-IFA Screen, CSF	23-241-112439	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
LGI1 Ab IgG CBA-IFA Screen, CSF	23-241-112439	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
Voltage-Gated Potassium Channel Ab, CSF	23-241-112439	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	

## END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com 500 Chipeta Way, Sati Lake City, UT 84108-1221 Jonathan R. Genzen, MD, PhD, Laboratory Director Patient: Patient, Example ARUP Accession: 23-241-112439 Patient Identifiers: 01234567890ABCD, 012345 Visit Number (FIN): 01234567890ABCD Page 3 of 3 | Printed: 9/13/2023 1:45:14 PM 4848