

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 1/18/1983
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Thyroid Stimulating Immunoglobulin

ARUP test code 3002287

Thyroid Stimulating Immunoglobulin-TSI

<0.10 IU/L (Ref Interval: <=0.54)
 INTERPRETIVE INFORMATION: Thyroid Stimulating Immunoglobulin (TSI)
 0.54 IU/L or less.....Consistent with healthy thyroid function or non-Graves thyroid or autoimmune disease. Those with healthy thyroid function typically have results less than 0.1 IU/L.
 0.55 IU/L or greater.....Consistent with Graves disease (autoimmune hyperthyroidism)
 This assay specifically detects thyroid stimulating autoantibodies. For diagnostic purposes, the results obtained from this assay should be used in combination with clinical examination, patient medical history, and other findings.

VERIFIED/REPORTED DATES

| Procedure | Accession | Collected | Received | Verified/Reported |
|--|---------------|------------------|------------------|-------------------|
| Thyroid Stimulating Immunoglobulin-TSI | 21-019-122270 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: