

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 7/1/1988  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Thyroid Stimulating Immunoglobulin**

ARUP test code 3002287

Thyroid Stimulating Immunoglobulin-TSI

0.13 IU/L (Ref Interval: <=0.54)  
 INTERPRETIVE INFORMATION: Thyroid Stimulating Immunoglobulin (TSI)  
 0.54 IU/L or less.....Consistent with healthy thyroid function or non-Graves thyroid or autoimmune disease. Those with healthy thyroid function typically have results less than 0.1 IU/L.  
 0.55 IU/L or greater.....Consistent with Graves disease (autoimmune hyperthyroidism)  
 This assay specifically detects thyroid stimulating autoantibodies. For diagnostic purposes, the results obtained from this assay should be used in combination with clinical examination, patient medical history, and other findings.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Thyroid Stimulating Immunoglobulin-TSI	23-028-107516	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: