

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 12/16/1984  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Leukotriene E4, Random Urine**

ARUP test code 3002351

Leukotriene, Urine 54 pg/mg Cr (Ref Interval: <=104)

-----ADDITIONAL INFORMATION-----  
This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Creatinine, Random Urine 290 mg/dL (Ref Interval: 16 - 326)

Test Performed by:  
Mayo Clinic Laboratories - Rochester Superior Drive  
3050 Superior Drive NW, Rochester, MN 55905  
Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D1040592  
  
Test Performed by:  
Mayo Clinic Laboratories - Rochester Main Campus  
200 First Street SW, Rochester, MN 55905  
Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D0404292

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Leukotriene, Urine	23-117-109985	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Creatinine, Random Urine	23-117-109985	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: