

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 8/7/1956  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**SARS-CoV-2 (COVID-19) by NAA**

ARUP test code 3002638

SARS-CoV-2 Source: Nasopharyngeal

SARS-CoV-2 by NAA

Not Detected

INTERPRETIVE INFORMATION: SARS-CoV-2 (COVID-19) by NAA

This test should be ordered for the detection of the 2019 novel coronavirus SARS-CoV-2 in individuals who meet SARS-CoV-2 clinical and/or epidemiological criteria.

The Coronavirus SARS-CoV-2 (COVID-19) by nucleic acid amplification test is for in vitro diagnostic use under the FDA Emergency Use Authorization (EUA) for US laboratories certified under CLIA to perform high complexity tests. This test has not been FDA cleared or approved. In compliance with this authorization, please visit <https://www.aruplab.com/infectious-disease/coronavirus> for more information and to access the applicable information sheets.

Not Detected results do not rule out the presence of PCR inhibitors in the patient specimen or assay specific nucleic acid in concentrations below the level of detection by the assay.

Detected results are indicative of the presence of SARS-CoV-2 RNA. Due to the complexity of nucleic acid amplification methodologies, there may be a risk of false positive results. Clinical correlation with patient history and other diagnostic information is necessary to determine patient infection status.

Reliable results are dependent on adequate specimen collection, transport, storage, and handling.

**H=High, L=Low, \*=Abnormal, C=Critical**

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
SARS-CoV-2 Source	21-056-127949	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
SARS-CoV-2 by NAA	21-056-127949	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 21-056-127949  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 2/26/2021 10:00:57 AM  
4848