

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 9/10/1982
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Hemoglobin F with Reflex to Electrophoresis

ARUP test code 3002645

Hemoglobin F 1.0 % (Ref Interval: 0.0-2.1)
REFERENCE INTERVAL: Hemoglobin F
Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Hemoglobin, Capillary Electrophoresis Not Performed

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hemoglobin F	24-276-138965	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hemoglobin, Capillary Electrophoresis	24-276-138965	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: