

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 10/23/1966
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

COVID-19 IgG, Qualitative by CIA

ARUP test code 3002776

COVID-19 IgG, Qualitative

Positive * (Ref Interval: Negative)

A positive result suggests exposure to SARS-CoV-2 (COVID-19) but does not necessarily indicate immunity. Results from antibody testing should not be used as the sole basis to diagnose or exclude SARS-CoV-2 infection or to inform infection status. False positive results can occur due to past or present infection with non-SARS-CoV-2 coronavirus strains, such as coronavirus HKU1, NL63, OC43, or 229E. False positive results are possible in low prevalence settings even when an antibody test has greater than 98.0 percent specificity. To reduce the likelihood of a false positive result, the CDC Interim Guidelines for COVID-19 Antibody Testing suggest testing using two different antibody assays.

INTERPRETIVE INFORMATION: COVID-19 IgG, Qualitative by CIA

The COVID-19 IgG, Qualitative by CIA test is for in vitro diagnostic use under an FDA Emergency Use Authorization (EUA). In compliance with this authorization, please visit <https://www.aruplab.com/infectious-disease/coronavirus/testing> for more information and to access the applicable information sheets. This test should not be used for screening of donated blood. Use for the qualitative detection of IgG antibodies against the nucleocapsid protein of SARS-CoV-2 (COVID-19) that develop in response to natural infection with SARS-CoV-2. These antibodies do not develop as a result of a COVID-19 vaccination. There are no current recommendations for assessing COVID-19 vaccine response.

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
COVID-19 IgG, Qualitative	24-088-119738	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 24-088-119738
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 4/3/2024 1:33:36 PM
4848