

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB4/9/2013
Gender:Female
Patient Identifiers:01234567890ABCD, 012345
Visit Number (FIN):01234567890ABCD
Collection Date:00/00/0000 00:00

Glutamic Acid Decarboxylase Antibody, CSF

ARUP test code 3002788

Glutamic Acid Decarboxylase Antibody CSF

5.2 IU/mL

H

(Ref Interval: 0.0–5.0)

INTERPRETIVE INFORMATION: Glutamic Acid Decarboxylase Antibody, CSF
A value greater than 5.0 IU/mL is considered positive for glutamic acid decarboxylase antibody (GAD AB CSF).

This assay is intended for the semi-quantitative determination of the GAD Ab in human CSF. Results should be interpreted within the context of clinical symptoms.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Glutamic Acid Decarboxylase Antibody CSF	24-015-400053	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical