

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/17/1983
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Francisella tularensis Antibodies, IgG and IgM with Reflex to Agglutination

ARUP test code 3002912

Francisella tularensis Antibody, IgG

5 U/mL (Ref Interval: <=9)

INTERPRETATIVE DATA: Francisella tularensis Antibody, IgG

9 U/mL or less..... Negative - No significant level of IgG antibody to Francisella tularensis detected.

10 - 15 U/mL..... Equivocal - Questionable Presence of IgG antibody to Francisella tularensis. Repeat testing in 10-14 days may be helpful.

16 U/mL or greater... Positive - Presence of IgG antibody to Francisella tularensis detected, suggestive of current or past exposure/immunization.

Cross-reactivity with Brucella and Yersinia antibodies may occur. False-positive results are possible, therefore results should be interpreted with caution and correlated with clinical information. Confirmation by Direct Agglutination is recommended.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement D: aruplab.com/CS

Francisella tularensis Antibody, IgM

1 U/mL (Ref Interval: <=9)

H=High, L=Low, *=Abnormal, C=Critical

INTERPRETIVE DATA: *Francisella tularensis*
Antibody, IgM

- 9 U/mL or less..... Negative - No significant level of IgM antibody to *Francisella tularensis* detected.
- 10 - 15 U/mL..... Equivocal - Questionable presence of IgM antibody to *Francisella tularensis*. Repeat testing in 10-14 days may be helpful.
- 16 U/mL or greater... Positive - Presence of IgM antibody to *Francisella tularensis* detected, suggestive of current or recent exposure/immunization.

Cross-reactivity with *Brucella* and *Yersinia* antibodies may occur. False-positive results are possible, therefore results should be interpreted with caution and correlated with clinical information. Confirmation by Direct Agglutination is recommended.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement D: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Francisella tularensis Antibody, IgG	24-053-402104	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Francisella tularensis Antibody, IgM	24-053-402104	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: