

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB11/9/1992

Gender:Female

Patient Identifiers:01234567890ABCD, 012345

Visit Number (FIN):01234567890ABCD

Collection Date:00/00/0000 00:00

Francisella tularensis Antibody, IgG with Reflex to Agglutination

ARUP test code 3002913

Francisella tularensis Antibody, IgG	2 U/mL	(Ref Interval: <=9)
	INTERPRETATIVE DATA: Francisella tularensis Antibody, IgG	
	9 U/mL or less.....	Negative - No significant level of IgG antibody to Francisella tularensis detected.
	10 - 15 U/mL.....	Equivocal - Questionable Presence of IgG antibody to Francisella tularensis. Repeat testing in 10-14 days may be helpful.
	16 U/mL or greater...	Positive - Presence of IgG antibody to Francisella tularensis detected, suggestive of current or past exposure/Immunization.
	Cross-reactivity with Brucella and Yersinia antibodies may occur. False-positive results are possible, therefore results should be interpreted with caution and correlated with clinical information. Confirmation by Direct Agglutination is recommended.	
	Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement D: aruplab.com/CS	

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Francisella tularensis Antibody, IgG	24-043-153208	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical