

Client: ARUP Example Report Only
500 Chipeta Way
Salt Lake City, UT 84108
UNITED STATES

Physician: Test, Dr.

Patient: ARUPTEST, ADASP

DOB: 1/1/1990
Gender: Female
Patient Identifiers: 29419
Visit Number (FIN): 29724
Collection Date: 4/12/2021 14:14

Adenosine Deaminase, Serum or Plasma

ARUP test code 3002976

Adenosine Deaminase, Serum/Plasma

16 U/L H (Ref Interval: 0-15)

INTERPRETIVE INFORMATION: Adenosine Deaminase, Serum/Plasma

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Adenosine Deaminase, Serum/Plasma	21-102-118212	4/12/2021 2:14:00 PM	4/12/2021 2:14:27 PM	4/12/2021 2:15:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: ARUPTEST, ADASP
ARUP Accession: 21-102-118212
Patient Identifiers: 29419
Visit Number (FIN): 29724
Page 1 of 1 | Printed: 4/12/2021 2:48:14 PM