

Client: Example Client ABC123
123 Test Drive
Salt Lake City, LTT 9 4129

Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example** 

**DOB** 2/5/1987 **Gender:** Male

**Patient Identifiers:** 01234567890ABCD, 012345

**Visit Number (FIN):** 01234567890ABCD **Collection Date:** 00/00/0000 00:00

## Hepatitis Panel, Acute with Reflex to HBsAg Confirmation and Reflex to HCV by Quantitative NAAT

ARUP test code 3002989

Hepatitis A Antibody, IgM Negative (Ref Interval: Negative) Hepatitis B Core Antibody, IgM (Ref Interval: Negative) Negative INTERPRETIVE INFORMATION: Hepatitis B Core Ab, IgM This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P). Hepatitis B Surface Antigen Negative (Ref Interval: Negative) Based on the non-reactive HBsAg screen, the HBsAg Confirmation test is not indicated and therefore not performed. INTERPRETIVE INFORMATION: Hepatitis B Surface Ag This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P). Hepatitis C Antibody by CIA Index >11.00 IV **High Pos** Hepatitis C Antibody by CIA Interp (Ref Interval: Negative) the patient is currently infected. Refer to the HCV RNA by Quantitative NAAT result for additional detail. REFERENCE INTERVAL: Hepatitis Panel, Acute w/ HCV NAAT Rflx 0.80 to 0.99 IV ..... Equivocal 

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

H=High, L=Low, \*=Abnormal, C=Critical

4848



## Hepatitis, Acute Panel w/ Rflx Interp

See Note

The acute hepatitis panel indicates that the patient either has hepatitis C infection, has been infected with hepatitis C in the past, or has a false positive anti-HCV result. There is no evidence of acute hepatitis A or B infection.

## Hepatitis C Virus (HCV) by Quantitative NAAT

ARUP test code 3000572

HCV Ont by NAAT (IU/mL)

23,839 IU/mL

HCV Ont by NAAT (log IU/mL)

4.38 log IU/mL

**HCV Qnt by NAAT Interp** 

Detected

determination.

(Ref Interval: Not Detected)

INTERPRETIVE INFORMATION: HCV by Quantitative NAAT

Normal range for this assay is "Not Detected" The quantitative range of this assay is 10 - 100,000,000 IU/mL  $(1.0 - 8.0 \log \text{IU/mL})$ .

Lower limit of quantitation (LLoQ):
10 IU/mL (1.0 log IU/mL)
LLoQ values do not apply to diluted specimens.
A result of "Not Detected" does not rule out the presence of inhibitors in the patient specimen or hepatitis C virus RNA concentrations below the level of detection of the test. Care should be taken when interpreting any single viral load determination

This test should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular Tissue-Based Products (HCT/P).

H=High, L=Low, \*=Abnormal, C=Critical

4848



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis A Antibody, IgM	22-349-126103	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis B Core Antibody, IgM	22-349-126103	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis B Surface Antigen	22-349-126103	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis C Antibody by CIA Index	22-349-126103	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis C Antibody by CIA Interp	22-349-126103	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis, Acute Panel w/ Rflx Interp	22-349-126103	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HCV Qnt by NAAT (IU/mL)	22-349-126103	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HCV Qnt by NAAT (log IU/mL)	22-349-126103	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HCV Qnt by NAAT Interp	22-349-126103	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

4848