

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108

Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB Unknown

Gender: Male

Patient Identifiers: 01234567890ABCD, 012345

Visit Number (FIN): 01234567890ABCD **Collection Date:** 00/00/0000 00:00

Coccidioides Antibodies by Complement Fixation and Immunodiffusion, Serum

ARUP test code 3002995

Coccidioides Antibody by CF

<1:2

(Ref Interval: <1:2)

INTERPRETIVE INFORMATION: Coccidioides Ab by Complement Fixation

(CF)

Any titer suggests past or current infection. However, greater than 30 percent of cases with chronic residual pulmonary disease have negative Complement Fixation (CF) tests. Titers of less than 1:32 (even as low as 1:2) may indicate past infection or self-limited disease; anticoccidiodal CF antibody titers in excess of 1:16 may indicate disseminated infection. CF serology may be used to follow therapy. Antibody in CSF is considered diagnostic for coccidioidal meningitis, although 10 percent of patients with coccidioidal meningitis will not have antibody in

CSF.

Coccidioides by Immunodiffusion, Serum

Not Detected

(Ref Interval: Not Detected)

No Coccidioides antibodies (ie, IDTP, IDCF) were detected. This result does not exclude Coccidioides infection. This sample demonstrates a precipitin reaction of non-identity with the IDCF and IDTP bands indicating that unrelated antibodies are present. These unrelated antibodies may be due to infection with other

systemic fungi.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Coccidioides Antibody by CF	23-089-104765	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Coccidioides by Immunodiffusion, Serum	23-089-104765	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

4848



Patient Report | FINAL

H=High, L=Low, *=Abnormal, C=Critical