

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 7/6/1987
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Thiocyanate Quantitative, Serum or Plasma

ARUP test code 3003041

Thiocyanate Quantitative, Serum/Plasma

100 mcg/mL H

Serum or Plasma
Reporting Limit: 0.10 mcg/mL
Normal:
Non-smokers: Usually less than 8 mcg/mL
Smokers: Usually less than 16 mcg/mL
Nitroprusside therapeutic range: 6 - 29 mcg/mL
Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.
Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Thiocyanate Quantitative, Serum/Plasma	20-321-104069	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical