

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 10/17/1973  
Gender: Male  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Collection Date: 00/00/0000 00:00

Thiocyanate Quantitative, Serum or Plasma

ARUP test code 3003041

Thiocyanate Quantitative, Serum/Plasma      None Det mcg/mL  
Serum  
Reporting Limit: 0.10 mcg/mL  
Normal:  
Non-smokers: Usually less than 8 mcg/mL  
Smokers: Usually less than 16 mcg/mL  
Nitroprusside therapeutic range: 6 - 29 mcg/mL  
Analysis by High Performance Liquid  
Chromatography/Tandem Mass Spectrometry (LC-MS/MS)  
This test was developed and its performance  
characteristics determined by NMS Labs. It has not  
been cleared or approved by the US Food and Drug  
Administration.  
Testing performed at NMS Labs, Inc.  
200 Welsh Road  
Horsham, PA 19044-2208  
CLIA 39D0197898

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Thiocyanate Quantitative, Serum/Plasma	21-270-141973	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical