

Non-Invasive Prenatal Aneuploidy Screen by cell-free DNA Sequencing

Patient: NIPT NGSAN, HR T13 PARTIAL

DOB: Not Age: N/A Sex: F

Provided

Patient Identifiers: 38840

Visit Number (FIN): 39162

Client: ARUP Example Report Only

500 Chipeta Way Salt Lake City, UT 84108

Physician: TEST

ARUP Test Code: 3003043

Collection Date: 05/23/2022 Received in lab: 05/23/2022 Completion Date: 05/23/2022

Result Summary

See Note

Fetus Sex Not Reported

Fetal Fraction 10.1%

Trisomy 21 (Down Syndrome) Low Risk

Trisomy 18 (Edwards Syndrome) Low Risk

Trisomy 13 (Patau Syndrome) High Risk

Monosomy X (Turner Syndrome) No Result Sex Chromosome Trisomies No Result

This pregnancy is classified as HIGH RISK for trisomy 13 (Patau syndrome) by this screen. This result should be confirmed by a diagnostic test. The chance that a pregnancy classified as high risk will have the screened condition (the positive predictive value, or PPV) is affected by the pre-test risk for the screened condition. For women with no additional risk factors, <20% of pregnancies classified as high risk by NIPT are found to have trisomy 13. For women with a high pre-test risk, 33-67% of pregnancies classified as high risk by NIPT are found to have trisomy 13. Online calculators are available to determine patient-specific PPV based on clinical context.

Testing of this specimen did not yield result(s) on the sex chromosome(s); neither the sex of the fetus nor the risk for sex chromosome abnormalities can be assessed. A repeat specimen will not provide additional information and is not indicated. Underlying causes may include, but are not limited to, maternal medical conditions and/or aneuploidy/mosaic aneuploidy, fetal chromosome abnormalities/mosaic chromosome abnormalities other than the targeted conditions.

This is a screening test and is NOT diagnostic for the condition(s) listed in this report. Both false positive and false negative results may occur. Appropriate clinical follow-up such as genetic counseling, comprehensive ultrasound, and confirmatory diagnostic testing should be undertaken as recommended by the patient's healthcare provider. Irrevocable action such as pregnancy termination should not be taken based on the results of this screening test.

Health care providers with questions may contact an ARUP genetic counselor at (800) 242-2787 ext. 2141.

This result has been reviewed and approved by

Test Specific Patient Information

Report Sex: No

Gestational Age at Draw: 10 wks or over

Number of fetuses: Singleton









Patient: NIPT NGSAN, HR T13 PARTIAL ARUP Accession: 22-143-108716

Non-Invasive Prenatal Aneuploidy Screen by cell-free DNA Sequencing

Patient: NIPT NGSAN, HR T13 PARTIAL | Date of Birth: Not Provided | Sex: F | Physician: TEST

Patient Identifiers: 38840 | Visit Number (FIN): 39162

Trisomy 13*						
Maternal age at EDD	20 years	25 years	30 years	35 years	40 years	44 years
Gestational Age	Positive Predictive Value (PPV) %					
10 weeks	6.2	6.9	10.1	22.0	51.0	76.8
12 weeks	5.1	5.7	8.3	18.6	45.8	72.9
14 weeks	4.3	4.8	7.0	16.0	41.3	69.1
16 weeks	3.6	4.1	6.1	13.9	37.4	65.6
20 weeks	2.8	3.1	4.6	10.9	31.0	58.9
30 weeks	1.6	1.8	2.7	6.4	20.2	44.6

Prior risks in this table are based on gestational age and maternal age at estimated due date (EDD). Additional clinical information affecting prior risk – such as ultrasound abnormalities, family history, and prior screening results – is not included. Clinical decisions should take all relevant medical and family history into account.

PPV is the chance that a fetus with a high risk screening result has the condition. The PPV calculation is based on the sensitivity and specificity of testing along with the prevalence of the condition.

*PPV values presented are calculated based on patient pretest risk, reported VeriSeq test performance,¹ and the incidence of aneuploidy at specific maternal/gestational age as previously reported.²,³

¹Borth H. Analysis of cell-free DNA in a consecutive series of 13,607 routine cases for the detection of fetal chromosomal aneuploidies in a single center in Germany. *Arch Gynecol Obstet.* 2021;303(6):1407-1414.

²Snijders RJ. Maternal age and gestational age-specific risk for chromosomal defects. Fetal Diagn Ther. 1995;10(6):356-67.

Snijders RJ. Maternal age- and gestation-specific risk for trisomy 21. Ultrasound Obstet Gynecol. 1999;13(3):167-70.

Background Information:

INTERPRETIVE INFORMATION: Non-Invasive Prenatal Aneuploidy
Screen by cell-free DNA Sequencing
CHARACTERISTICS: This assay is a screening test that
interrogates chromosomal abnormalities (i.e., aneuploidies)
using cell free DNA (cfDNA) extracted from the blood plasma of
any singleton pregnancy. Patient risk for trisomy 13, trisomy
18, trisomy 21, and sex chromosome aneuploidies is reported.
Fetal fraction, in conjunction with other data quality metrics,
must be met in order for each sample to yield a result. The
assay is intended for use as a screen only and is not equivalent
to prenatal genetic diagnostic testing.

METHODOLOGY: Next Generation Sequencing (NGS) (aka Massively Parallel Sequencing (MPS)) of fetal and maternal cfDNA present in the plasma.

ANALYTICAL VALIDATION ACCURACY: The analytical sensitivity was calculated using positive percent agreement compared to established methods to detect fetal aneuploidy. For samples with greater than 5 percent observed fetal fraction, the positive percent agreements (PPA) are as follows: T13 greater than 99.9 percent, T18 greater than 99.9 percent, and T21 is 96.1 percent. The combined PPA for all aneuploidies is 97.5 percent. For









Patient: NIPT NGSAN, HR T13 PARTIAL ARUP Accession: 22-143-108716

Non-Invasive Prenatal Aneuploidy Screen by cell-free DNA Sequencing

Patient: NIPT NGSAN, HR T13 PARTIAL | Date of Birth: Not Provided | Sex: F | Physician: TEST

Patient Identifiers: 38840 | Visit Number (FIN): 39162

samples with less than or equal to 5 percent observed fetal fraction, the positive percent agreements (PPA) are as follows: T13 is 66.7 percent, T18 is 60 percent, and T21 is 87.5 percent. The combined PPA for all aneuploidies is 72.3 percent. The specificity, as calculated as negative percent agreement, is 99.5 percent across all observed fetal fraction values.

CLINICAL PERFORMANCE: Information on clinical performance for this assay can be found in the following reference: Borth H. Analysis of cell-free DNA in a consecutive series of 13,607 routine cases for the detection of fetal chromosomal aneuploidies in a single center in Germany. Arch Gynecol Obstet. 2021;303(6):1407-1414.

LIMITATIONS: This is a screening test and should not be considered in isolation from other clinical findings and diagnostic test results. High risk results must be confirmed by diagnostic testing (amniocentesis, CVS, or postnatal testing) before any clinical decisions are made based on the screening test result. The current iteration of this assay is limited to reporting the following on singleton pregnancies: fetal sex, fetal fraction, risk level for trisomy 13, 18, 21, and risk level for sex chromosome aneuploidies XO, XXX, XXY, and XYY. This assay is not meant to detect deletions or duplications within a chromosome, polyploidy, maternal abnormalities. balanced chromosome rearrangements, or chromosomal aneuploidies not listed above. Results may be confounded by the following: recent maternal blood transfusion, organ transplant, surgery, immunotherapy, malignancy, maternal mosaicism, placental mosaicism, fetal demise, disappearing twin, fetal partial aneuploidy, and/or fetal mosaicism. Samples with observed fetal fraction less than 5.0 percent have lower sensitivity to detect fetal aneuploidy, and the accuracy of the fetal fraction estimate is significantly lower. Fetal demise/miscarriage is not assessed.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Counseling and informed consent are recommended for genetic testing. Consent forms are available online.









Patient: NIPT NGSAN, HR T13 PARTIAL ARUP Accession: 22-143-108716