

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/1/1962
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Gastrointestinal Pathogens Panel by PCR

ARUP test code 3003279

Campylobacter PCR	Detected	*
Plesiomonas shigelloides PCR	Not Detected	
Salmonella PCR	Not Detected	
Vibrio PCR	Not Detected	
Vibrio cholerae PCR	Not Detected	
Yersinia enterocolitica PCR	Not Detected	
Enteroaggregative E. coli (EAEC) PCR	Not Detected	
Enteropathogenic E. coli (EPEC) PCR	Not Detected	
Enterotoxigenic E. coli (ETEC) PCR	Not Detected	
Shiga toxin-producing E. coli (STEC) PCR	Not Detected	
E. coli O157 PCR	N/A	
Shigella/Enteroinvasive E. coli PCR	Not Detected	

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

Cryptosporidium PCR Not Detected

Cyclospora cayetanensis PCR Not Detected

Entamoeba histolytica PCR Not Detected

Giardia lamblia PCR Not Detected

Adenovirus 40/41 PCR Not Detected

Astrovirus PCR Not Detected

Norovirus GI/GII PCR **Detected** *

Rotavirus A PCR Not Detected

Sapovirus PCR Not Detected

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-060-100059
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 3 | Printed: 3/2/2023 11:12:27 AM
4848

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Campylobacter PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Plesiomonas shigelloides PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Salmonella PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Vibrio PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Vibrio cholerae PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Yersinia enterocolitica PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Enteroggregative E. coli (EAEC) PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Enteropathogenic E. coli (EPEC) PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Enterotoxigenic E. coli (ETEC) PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Shiga toxin-producing E. coli (STEC) PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
E. coli O157 PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Shigella/Enteroinvasive E. coli PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Cryptosporidium PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Cyclospora cayetanensis PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Entamoeba histolytica PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Giardia lamblia PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Adenovirus 40/41 PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Astrovirus PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Norovirus GI/GII PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Rotavirus A PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Sapovirus PCR	23-060-100059	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-060-100059
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 3 of 3 | Printed: 3/2/2023 11:12:27 AM
4848