

Client: ARUP Physician Services
321 TESTING ANSR EXTRACT
Salt Lake City, NY 84108
UNITED STATES

Physician: DR, TEST

Patient: ARUPTEST, 19325 F

DOB: 8/27/1980
Sex: Female
Patient Identifiers: 416390
Visit Number (FIN): PREQ00005079978
Collection Date: 1/4/2024 14:22

Kratom (Mitragynine) - Screen With Reflex to Confirmation, Urine

ARUP test code 3003311

Kratom, Screen **NEGATIVE** (Ref Interval: NEGATIVE)
Screening Threshold: 5.0 ng/mL
Analysis performed by immunoassay.
This test was developed and its performance characteristics determined by Labcorp. It has not been cleared or approved by the Food and Drug Administration.
Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
walker, Karla J

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Kratom, Screen	24-004-115970	1/4/2024 2:22:00 PM	1/4/2024 2:37:01 PM	1/5/2024 10:20:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: ARUPTEST, 19325 F
ARUP Accession: 24-004-115970
Patient Identifiers: 416390
Visit Number (FIN): PREQ00005079978
Page 1 of 1 | Printed: 1/9/2024 12:22:20 PM