

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 1/28/1949  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**COVID-19 IgG (Spike), Semi-Quantitative by CIA**

ARUP test code 3003648

COVID-19 IgG Index by CIA <1.00 IV (Ref Interval: <=0.99)

Negative results do not rule out SARS-CoV-2 infection, particularly in those who have been in contact with the virus. Follow-up testing with a molecular diagnostic methodology should be considered to rule out infection in these individuals. Results from antibody testing should not be used as the sole basis to diagnose or exclude SARS-CoV-2 infection or to inform infection status. The COVID-19 IgG by CIA semi-quantitative assay detects antibodies against the spike protein (RBD region).

This test is for in vitro diagnostic use under an FDA Emergency Use Authorization (EUA). In compliance with this authorization, more information and applicable information sheets are available at <https://www.aruplab.com/infectious-disease/coronavirus/testing>.

COVID-19 IgG by CIA Interpretation Negative (Ref Interval: Negative)

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
COVID-19 IgG Index by CIA	22-256-125736	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
COVID-19 IgG by CIA Interpretation	22-256-125736	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: