

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/10/2002
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

COVID-19 IgG (Spike), Semi-Quantitative by CIA

ARUP test code 3003648

COVID-19 IgG Index by CIA **>100.00 IV H** (Ref Interval: <=0.99)

A positive result suggests exposure to SARS-CoV-2 (COVID-19) or possibly vaccination but does not necessarily indicate immunity. False-positive results can occur due to past or present infection with non-SARS-CoV-2 coronavirus strains, such as coronavirus HKU1, NL63, OC43, or 229E. False-positive results are also possible in low prevalence settings even when an antibody test has >98.0% specificity. Results from antibody testing should not be used as the sole basis to diagnose or exclude SARS-CoV-2 infection or to inform infection status. The COVID-19 IgG by CIA semi-quantitative assay detects antibodies against the spike protein (RBD region).

This test is for in vitro diagnostic use under an FDA Emergency Use Authorization (EUA). In compliance with this authorization, more information and applicable information sheets are available at <https://www.aruplab.com/infectious-disease/coronavirus/testing>.

COVID-19 IgG by CIA Interpretation **Positive *** (Ref Interval: Negative)

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
COVID-19 IgG Index by CIA	22-257-402754	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
COVID-19 IgG by CIA Interpretation	22-257-402754	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: