

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 9/9/1991  
Gender: Male  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Collection Date: 00/00/0000 00:00

Intact Fibroblast Growth Factor 23 (FGF23), Serum  
ARUP test code 3003816

Intact Fibroblast Growth Factor 23 1358 pg/mL H (Ref Interval: <=59)

-----ADDITIONAL INFORMATION-----  
Intact FGF23 concentrations should be interpreted in conjunction with serum phosphate (phosphorus) measurements. The reference interval is based on the mid-95th percentile of healthy normophosphatemic individuals. In patients with X-linked hypophosphatemia (XLH), intact FGF23 concentrations are usually elevated, however, in some situations intact FGF23 concentrations within the healthy normophosphatemic reference interval may be observed. The use of an intact FGF23 concentration greater than 22 pg/mL has been proposed for identification of patients suspected of XLH. The testing method is an enzyme-linked immunosorbent assay (ELISA) manufactured by MedFrontier. Values obtained with different methods may be different and cannot be used interchangeably. If this test is being ordered as a tumor marker, results cannot be interpreted as absolute evidence for the presence or absence of malignant disease. This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Test Performed by:  
Mayo Clinic Laboratories - Rochester Superior Drive  
3050 Superior Drive NW, Rochester, MN 55905  
Lab Director: Nikola A. Baumann Ph.D.; CLIA# 24D1040592

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Intact Fibroblast Growth Factor 23	24-158-400506	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical