

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 7/6/1987
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Orthopedic Metals Panel (Chromium, Cobalt, Titanium)

ARUP test code 3003913

Chromium, Body Fluid

None Det mcg/L
Fluid
Reporting Limit: 1.0 mcg/L
Not for clinical diagnostic purposes.
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Cobalt, Body Fluid

None Det mcg/L
Fluid
Reporting Limit: 1.0 mcg/L
Not for clinical diagnostic purposes.
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Titanium, Body Fluid

None Det mcg/L
Fluid
Reporting Limit: 10 mcg/L
Not for clinical diagnostic purposes.
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)
Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.
Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Chromium, Body Fluid	21-158-103153	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Cobalt, Body Fluid	21-158-103153	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Titanium, Body Fluid	21-158-103153	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 21-158-103153
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 6/8/2021 7:59:20 AM
4848