

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 10/30/2022  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**von Willebrand Factor (VWF) GPIbM Activity**

ARUP test code 3004071

VWF GPIbM Activity **328 IU/dL H (Ref Interval: 52-180)**

For additional information, please visit [www.versiti.org/vwd-diagnostic-testing](http://www.versiti.org/vwd-diagnostic-testing)  
This test was developed and its performance characteristics determined by Versiti Wisconsin, Inc. It has not been cleared or approved by the US Food and Drug Administration. This test is used for clinical purposes. It should not be regarded as investigational or for research. This laboratory is certified under the Clinical Laboratory Improvement Amendments (CLIA) as qualified to perform high complexity clinical laboratory testing.  
Performed by: Versiti Wisconsin, Inc. 638 North 18th Street Milwaukee, WI 53233

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
VWF GPIbM Activity	22-349-133424	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: