

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 4/20/1947
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Ammonium, 24-Hour Urine

ARUP test code 3004262

Ammonium Collection Duration 24 hr

Ammonium Urine Volume 2550 mL

Test Performed by:
Mayo Clinic Laboratories - Rochester Main Campus
200 First Street SW, Rochester, MN 55905
Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D0404292

Ammonium, 24 Hour Urine **14 mmol/24 h L (Ref Interval: 15 - 56)**

-----ADDITIONAL INFORMATION-----
This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Ammonium Collection Duration	23-145-126700	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Ammonium Urine Volume	23-145-126700	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Ammonium, 24 Hour Urine	23-145-126700	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-145-126700
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 7/5/2023 2:51:54 PM
4848