

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/16/1994
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Ammonium, 24-Hour Urine

ARUP test code 3004262

Ammonium Collection Duration 24 hr

Ammonium Urine Volume 1000 mL
Test Performed by:
Mayo Clinic Laboratories - Rochester Main Campus
200 First Street SW, Rochester, MN 55905
Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D0404292

Ammonium, 24 Hour Urine 23 mmol/24 h (Ref Interval: 15 - 56)
No Charge- LSI Client Testing
-----ADDITIONAL INFORMATION-----
This test has been modified from the manufacturer's instructions. Its performance characteristics were determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Ammonium Collection Duration	21-319-104898	11/15/2021 11:25:00 AM	11/17/2021 6:52:31 AM	11/17/2021 8:29:00 AM
Ammonium Urine Volume	21-319-104898	11/15/2021 11:25:00 AM	11/17/2021 6:52:31 AM	11/17/2021 8:29:00 AM
Ammonium, 24 Hour Urine	21-319-104898	11/15/2021 11:25:00 AM	11/17/2021 6:52:31 AM	11/17/2021 8:34:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 21-319-104898
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 10/19/2022 7:47:59 AM