

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 7/24/1989
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Wilson Disease (ATP7B) Sequencing

ARUP test code 3004411

Wilson Disease (ATP7B) Specimen whole Blood

Wilson Disease (ATP7B) Interp

Negative

RESULT

No pathogenic variants were detected in the ATP7B gene.

INTERPRETATION

No pathogenic variants were detected in the ATP7B gene. This result significantly decreases, but does not exclude, the likelihood that this individual is affected with, or a carrier of, Wilson disease. Please refer to the background information included in this report for the methodology and limitations of this test.

RECOMMENDATIONS

Medical screening and management should rely on clinical findings and family history. If this individual has a family history, determination of a causative familial variant in an affected family member is necessary for optimal interpretation of this negative result. Further testing may be warranted if there is a familial variant that is not detectable by this assay. Genetic consultation is recommended.

COMMENTS

Likely benign and benign variants are not reported. Variants in the following region(s) may not be detected by NGS with sufficient confidence in this sample due to technical limitations:
NONE

This result has been reviewed and approved by [REDACTED]

H=High, L=Low, *=Abnormal, C=Critical

BACKGROUND INFORMATION: Wilson Disease (ATP7B) Sequencing

CHARACTERISTICS: Wilson disease is a disorder of copper metabolism caused by pathogenic variants in the ATP7B gene. Toxic accumulation of copper in body tissues, particularly the liver and central nervous system, causes progressive disease that is eventually lethal if untreated. The clinical presentation of Wilson disease is highly variable and age dependent. Symptoms, including Kayser-Fleischer rings, liver disease, neurologic findings, and psychiatric disease, may present at any time from early childhood to late adulthood.

PREVALENCE: 1 in 10,000 to 1 in 30,000.

CAUSE: Pathogenic germline variants in ATP7B.

INHERITANCE: Autosomal recessive.

PENETRANCE: Age dependent.

CLINICAL SENSITIVITY: 98 percent.

GENE TESTED: ATP7B (NM_000053)
Deletion/duplication analysis is not available for this gene.

METHODOLOGY: Probe hybridization-based capture of all coding exons and exon-intron junctions of the targeted genes, followed by massively parallel sequencing. Sanger sequencing was performed as necessary to fill in regions of low coverage and confirm reported variants. Human genome build 19 (Hg 19) was used for data analysis.

ANALYTICAL SENSITIVITY/SPECIFICITY: The analytical sensitivity is approximately 99 percent for single nucleotide variants (SNVs) and greater than 93 percent for insertions/duplications/deletions (indels) from 1-10 base pairs in size. Indels greater than 10 base pairs may be detected, but the analytical sensitivity may be reduced. Specificity is greater than 99.9 percent for all variant classes.

LIMITATIONS: A negative result does not exclude a diagnosis of Wilson disease. This test only detects variants within the coding regions and intron-exon boundaries of the ATP7B gene. Regulatory region variants and deep intronic variants will not be identified, including the Sardinian founder variant, c.-436_-422del15. Deletions/duplications/insertions of any size may not be detected by massively parallel sequencing. Diagnostic errors can occur due to rare sequence variations. In some cases, variants may not be identified due to technical limitations caused by the presence of pseudogenes, repetitive, or homologous regions. This test is not intended to detect low-level mosaic or somatic variants, gene conversion events, complex inversions, translocations, mitochondrial DNA (mtDNA) mutations, or repeat expansions. Interpretation of this test result may be impacted if this patient has had an allogeneic stem cell transplantation. Non-coding transcripts were not analyzed.

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Wilson Disease (ATP7B) Specimen	23-112-111799	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Wilson Disease (ATP7B) Interp	23-112-111799	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-112-111799
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 3 of 3 | Printed: 5/1/2023 9:55:10 AM
4848