

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example** 

**DOB** 12/24/2007 Gender: Female

**Patient Identifiers:** 01234567890ABCD, 012345

**Visit Number (FIN):** 01234567890ABCD **Collection Date:** 00/00/0000 00:00

## **Circulating Immune Complex Panel**

ARUP test code 3004430

Circulating Immune Complex, C1q Binding

2.4 ug Eq/mL

(Ref Interval: 0.0-3.9)

INTERPRETIVE INFORMATION: Circulating Immune Complex, C1q

Binding

Less than or equal to 3.9 ug Eq/mL is considered negative for

circulating complement binding immune complexes.

Circulating immune complexes may be found without any evident pathology and positive results do not necessarily implicate the immune complex in a disease process.

Circulating Immune Complex, C3 fragments

8 ug Eq/mL

(Ref Interval: <=15)

INTERPRETIVE INFORMATION: Circulating Immune Complex. C3

fragments

Many autoimmune disorders, chronic infections and malignancies Many autoimmune disorders, chronic infections and malignancies are associated with circulating immune complexes. Quantitation of immune complexes assists in staging immunologic disorders. Detection of circulating immune complexes is not essential to any specific diagnosis. Circulating immune complexes may be found without any evident pathology and positive results do not necessarily implicate immune complex-related disease process. Values between 15 and 20 ug Eq/mL are considered equivocal for Circulating Immune Complex, C3 fragments assay. Repeat- testing using a new specimen is recommended, if clinically indicated.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Circulating Immune Complex, C1q Binding	23-167-402557	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Circulating Immune Complex, C3 fragments	23-167-402557	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

**END OF CHART** 

H=High, L=Low, \*=Abnormal, C=Critical

4848