

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/31/1752
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Beta Globin (HBB) Sequencing

ARUP test code 3004547

BG Specimen	whole Blood
BG Interp	<p>Negative</p> <p>RESULT No pathogenic variants were detected in the HBB gene.</p> <p>INTERPRETATION No pathogenic variants were identified by massively parallel sequencing of the coding regions, exon-intron boundaries, proximal promoter, 5' untranslated region, or 3' polyadenylation signal of the HBB gene. None of the additional targeted HBB pathogenic intronic variants IVS-I-110, IVS-II-654, IVS-II-705, or IVS-II-745, were detected. This result significantly decreases the probability of, but does not exclude, beta thalassemia or beta thalassemia trait. Please refer to the background information included in this report for the clinical sensitivity and limitations of this test.</p> <p>RECOMMENDATIONS Medical management should rely on clinical findings and family history. If clinical suspicion for beta thalassemia remains high, consideration should be given to HBB deletion/duplication analysis (Deletion/Duplication Analysis by MLPA, ARUP test code 3003144). Genetic consultation is recommended.</p> <p>COMMENTS Likely benign and benign variants are not reported.</p> <p>This result has been reviewed and approved by [REDACTED]</p> <p>BACKGROUND INFORMATION: Beta Globin (HBB) Sequencing</p> <p>CHARACTERISTICS: Beta thalassemia is caused by decreased or absent synthesis of the hemoglobin beta-chain resulting in variable clinical presentations ranging from mild anemia to transfusion dependence. Structural hemoglobinopathies may result in sickling disorders, microcytic or hemolytic anemia, cyanosis, or erythrocytosis.</p> <p>EPIDEMIOLOGY: Incidence varies by ethnicity.</p> <p>CAUSE: Pathogenic germline variants within the HBB gene.</p> <p>INHERITANCE: Usually autosomal recessive, infrequently autosomal dominant.</p> <p>CLINICAL SENSITIVITY: Up to 99 percent, depending upon ethnicity, for beta thalassemia and hemoglobinopathies</p>

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

associated with the HBB gene.

GENE TESTED: HBB (NM_000518)
Deletion/duplication analysis is not available for this gene.

METHODOLOGY: Probe hybridization-based capture of all coding exons, exon-intron junctions, 5' proximal promoter and untranslated region, 3' polyadenylation signal, and intronic variants c.93-21G>A (IVS-I-110), c.316-197C>T (IVS-II-654), c.316-146T>G (IVS-II-705), and c.316-106C>G (IVS-II-745) of the HBB gene, followed by massively parallel sequencing. Sanger sequencing was performed as necessary to fill in regions of low coverage and to confirm reported variants that do not meet acceptable quality metrics.

ANALYTICAL SENSITIVITY/SPECIFICITY: The analytical sensitivity is approximately 99 percent for single nucleotide variants (SNVs) and greater than 93 percent for insertions/duplications/deletions (indels) from 1-10 base pairs in size. Indels greater than 10 base pairs may be detected but the analytical sensitivity may be reduced.

LIMITATIONS: A negative result does not exclude a diagnosis of beta thalassemia. This test detects variants within the coding regions and intron-exon boundaries of the HBB gene. Deletions/duplications/insertions of any size may not be detected by massively parallel sequencing. Regulatory region variants upstream of c.-250, deep intronic variants (other than those described in methodology section above), and large deletions/duplications will not be identified. Diagnostic errors can occur due to rare sequence variations. In some cases, variants may not be identified due to technical limitations caused by the presence of pseudogenes, repetitive, or homologous regions. This test is not intended to detect low-level mosaic or somatic variants, gene conversion events, complex inversions, translocations, mitochondrial DNA (mtDNA) variants, or repeat expansions. Interpretation of this test result may be impacted if this patient has had an allogeneic stem cell transplantation. Noncoding transcripts were not analyzed.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

Counseling and informed consent are recommended for genetic testing. Consent forms are available online.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
BG Specimen	22-136-101279	5/16/2022 8:50:00 AM	5/16/2022 8:50:53 AM	5/16/2022 9 07:00 AM
BG Interp	22-136-101279	5/16/2022 8:50:00 AM	5/16/2022 8:50:53 AM	5/16/2022 9 07:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 22-136-101279
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 7/20/2022 7:18:08 AM