

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 10/27/1980
Gender: Unknown
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Leukotriene E4, 24-Hour Urine

ARUP test code 3004792

Collection Duration: 24 hr

Urine Volume: 1730 mL

Leukotriene E4, 24 Hour Urine

<79 pg/mg Cr (Ref Interval: <=104)

Cautions: Systemic mast cell disease is a heterogeneous disorder; therefore not all patients with a diagnosis of systemic mastocytosis will exhibit abnormal Leukotriene E(4) (LTE4) concentrations. LTE4 will be decreased in individuals on therapeutic 5-lipoxygenase inhibitors (Zileuton).

-----ADDITIONAL INFORMATION-----
This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Creatinine, 24 Hour Urine 1090 mg/24h

-----REFERENCE VALUE-----
Females:
603-1783 mg/24h
Males:
930-2955 mg/24h

Creatinine Concentration, 24 Hour Urine 63 mg/dL

H=High, L=Low, *=Abnormal, C=Critical

Test Performed by:
Mayo Clinic Laboratories - Rochester Superior Drive
3050 Superior Drive NW, Rochester, MN 55905
Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D1040592

Test Performed by:
Mayo Clinic Laboratories - Rochester Main Campus
200 First Street SW, Rochester, MN 55905
Lab Director: William G. Morice M.D. Ph.D.; CLIA# 24D0404292

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Collection Duration:	23-067-148732	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Urine Volume:	23-067-148732	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Leukotriene E4, 24 Hour Urine	23-067-148732	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Creatinine, 24 Hour Urine	23-067-148732	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Creatinine Concentration, 24 Hour Urine	23-067-148732	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: