

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 8/28/2002
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Matrix Metalloproteinase-9 (MMP-9)

ARUP test code 3005003

Matrix Metalloproteinase-9 (MMP-9)

1109 ng/mL H

Reference Range:
<984

**Results of this test are for research purposes only per the assay manufacturer. The performance characteristics of this assay have not been established. The result should not be used as a diagnostic procedure without confirmation of the diagnosis by another medically established diagnostic product or procedure.

Performed by: 01 Esoterix Inc
8490 Upland Drive Ste 100
Englewood, CO 80112-7116
800-444-9111
Poirier, Brian F. MD

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Matrix Metalloproteinase-9 (MMP-9)	22-159-402852	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical