ARUP LABORATORIES
800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Chief Medical Officer

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB	12/31/1969
Gender:	Female
Patient Identifiers:	01234567890ABCD, 012345
Visit Number (FIN):	01234567890ABCD
Collection Date:	00/00/0000 00:00

Orthopoxvirus (includes monkeypox virus) by PCR

ARUP test code 3005716

Orthopoxvirus Source	Lesion Swab
Orthopoxvirus by PCR	**Detected** *

INTERPRETIVE INFORMATION: Orthopoxvirus by PCR

This assay does not differentiate members of the orthopoxviruses. In the United States, a detected result is most likely due to monkeypox virus or vaccinia virus. Other orthopoxviruses may be considered if appropriate. Refer to the US Centers for Disease Control and Prevention if additional confirmatory testing is needed.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Orthopoxvirus Source	22-200-115525	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Orthopoxvirus by PCR	22-200-115525	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical