

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

## **Patient: Patient, Example**

DOB	6/4/1987	
Gender:	Male	
<b>Patient Identifiers:</b>	01234567890ABCD, 012345	
Visit Number (FIN):	01234567890ABCD	
<b>Collection Date:</b>	00/00/0000 00:00	

ARUP test code 3005716

Orthopoxvirus Source

Lesion Swab

Orthopoxvirus by PCR

## Detected

INTERPRETIVE INFORMATION: Orthopoxvirus by PCR

\*

This assay does not differentiate members of the orthopoxviruses. In the United States, a detected result is most likely due to monkeypox virus or vaccinia virus. Other orthopoxviruses may be considered if appropriate. Refer to the US Centers for Disease Control and Prevention if additional confirmatory testing is needed.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Orthopoxvirus Source	23-146-140742	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Orthopoxvirus by PCR	23-146-140742	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

## END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com 500 Chipeta Way, Salt Lake City, UT 84108-1221 Jonathan R. Genzen, MD, PhD, Laboratory Director