

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 7/5/2023  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Triglycerides Body Fluid with Reflex to Chylomicron Electrophoresis**

ARUP test code 3005996

Triglycerides, Fluid

286 mg/dL

INTERPRETIVE INFORMATION: Triglycerides, Fluid

For information on body fluid reference ranges and/or interpretive guidance visit <http://aruplab.com/bodyfluids/>

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Triglycerides Fluid Source

Pleural fluid

Chylomicron Screen, Body Fluid

**See Note \* (Ref Interval: Absent)**

Chylomicrons, body fluid was not performed because fluid triglyceride concentrations were >200 mg/dL. This is an elevated body fluid triglyceride concentration, consistent with chylous effusion.

INTERPRETIVE INFORMATION: Chylomicron Screen, Body Fluid

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Triglycerides, Fluid	23-240-142827	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Triglycerides Fluid Source	23-240-142827	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Chylomicron Screen, Body Fluid	23-240-142827	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 23-240-142827  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 1 of 2 | Printed: 9/27/2023 12:54:10 PM  
4848

---

**H=High, L=Low, \*=Abnormal, C=Critical**

---

*Unless otherwise indicated, testing performed at:*

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 23-240-142827  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 9/27/2023 12:54:10 PM  
4848