

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 8/28/1967
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Triglycerides Body Fluid with Reflex to Chylomicron Electrophoresis

ARUP test code 3005996

Triglycerides, Fluid

154 mg/dL

INTERPRETIVE INFORMATION: Triglycerides, Fluid

For information on body fluid reference ranges and/or interpretive guidance visit <http://aruplab.com/bodyfluids/>

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Triglycerides Fluid Source

Pleural fluid

Chylomicron Screen, Body Fluid

Present * (Ref Interval: Absent)

Chylomicrons were detected. This appears to be a chylous fluid.

INTERPRETIVE INFORMATION: Chylomicron Screen, Body Fluid

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

| VERIFIED/REPORTED DATES | | | | |
|--------------------------------|---------------|------------------|------------------|-------------------|
| Procedure | Accession | Collected | Received | Verified/Reported |
| Triglycerides, Fluid | 23-234-156179 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |
| Triglycerides Fluid Source | 23-234-156179 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |
| Chylomicron Screen, Body Fluid | 23-234-156179 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-234-156179
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 2 | Printed: 9/27/2023 12:51:54 PM
4848

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-234-156179
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 9/27/2023 12:51:54 PM
4848