

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** Unknown  
**Gender:** Unknown  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Gamma-Aminobutyric Acid Receptor, Type A (GABA-AR) Antibody, IgG by CBA-IFA with Reflex to Titer, Serum**

ARUP test code 3006008

GABA-AR Ab IgG CBA-IFA Screen, Serum

**Detected \* (Ref Interval: <1:10)**

GABA-AR Antibody, IgG is detected. Titer results to follow.

INTERPRETIVE INFORMATION: GABA-AR Ab IgG CBA-IFA Screen,  
Serum

Gamma-aminobutyric acid receptor, type A (GABA-AR) antibody is found in a subset of patients with autoimmune encephalitis or autoimmune epilepsy and may occur with or without associated tumor. A negative test result does not rule out a diagnosis of autoimmune limbic encephalitis or autoimmune epilepsy. Interpretation of any antineural antibody test requires clinical correlation.

This indirect fluorescent antibody assay utilizes GABA-AR transfected cell lines for detection and semi-quantification of GABA-AR IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

**Gamma-Aminobutyric Acid Receptor, Type A (GABA-AR) Antibody Titer, IgG by CBA-IFA, Serum (Reflex of GABA-A SER - Not Orderable by Clients)**

ARUP test code 3006011

GABA-AR Ab IgG CBA-IFA Titer, Serum

**1:40 \* (Ref Interval: <1:10)**

INTERPRETIVE INFORMATION: GABA-AR Ab IgG CBA-IFA Titer,  
Serum

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

**H=High, L=Low, \*=Abnormal, C=Critical**

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
GABA-AR Ab IgG CBA-IFA Screen, Serum	23-109-100175	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
GABA-AR Ab IgG CBA-IFA Titer, Serum	23-109-100175	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

*Unless otherwise indicated, testing performed at:*

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 23-109-100175  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 5/11/2023 10:32:57 AM  
4848