

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

## Patient: Patient, Example

DOB	Unknown
Gender:	Unknown
<b>Patient Identifiers:</b>	01234567890ABCD, 012345
Visit Number (FIN):	01234567890ABCD
<b>Collection Date:</b>	00/00/0000 00:00

BK Qnt by NAAT, Plasma IU/mL	189 IU/mL One IU/mL of BK DNA measured by the current quantitative PCR assay is approximately equal to 1.37 copies/mL reported by the previous ARUP laboratory-developed test. This conversion factor between IU/mL and copies/mL was established during verification of the current assay.		
BK Qnt by NAAT, Plasma log IU/mL	2.28 log IU/mL		
BK Qnt by NAAT, Plasma Interp	<b>Detected</b> * (Ref Interval: Not Detected)		
	INTERPRETIVE INFORMATION: BK Virus by Quantitative NAAT, Plasma		
	The quantitative range of this assay is 1.33 - 8.00 log IU/mL (21.5 - 100,000,000 IU/mL)		

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com 500 Chipeta Way, Salt Lake City, UT 84108-1221 Jonathan R. Genzen, MD, PhD, Laboratory Director



VERIFIED/REPORTED DATES					
Procedure	Accession	Collected	Received	Verified/Reported	
BK Qnt by NAAT, Plasma IU/mL	24-076-400764	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
BK Qnt by NAAT, Plasma log IU/mL	24-076-400764	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	
BK Qnt by NAAT, Plasma Interp	24-076-400764	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00	

## END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com 500 Chipeta Way, Sati Lake City, UT 84108-1221 Jonathan R. Genzen, MD, PhD, Laboratory Director Patient: Patient, Example ARUP Accession: 24-076-400764 Patient Identifiers: 01234567890ABCD, 012345 Visit Number (FIN): 01234567890ABCD Page 2 of 2 | Printed: 3/19/2024 12:10:16 PM 4848