

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 7/26/1975  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Epstein-Barr Virus by Quantitative NAAT, Plasma**

ARUP test code 3006079

EBV Qnt by NAAT, Plasma IU/mL 5400 IU/mL

One IU/mL of EBV DNA measured by the current quantitative PCR assay is approximately equal to 0.12 copies/mL reported by the previous ARUP laboratory developed test. This conversion factor between IU/mL and copies/mL was established during verification of the current assay.

EBV Qnt by NAAT, Plasma log IU/mL 3.73 log IU/mL

EBV Qnt by NAAT, Plasma Interp

**Detected \* (Ref Interval: Not Detected)**

INTERPRETIVE INFORMATION: EBV by Quantitative NAAT, Plasma

The quantitative range of this test is 1.54 - 8.00 log IU/mL (35.0 - 100,000,000 IU/mL).

An interpretation of "Not Detected" does not rule out the presence of inhibitors or EBV DNA concentration below the level of detection of the assay. Care should be taken in the interpretation of any single viral load determination.

International standardization has improved comparability of assay results across laboratories, but discrepancies still exist due to commutability issues with the standard.

H=High, L=Low, \*=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
EBV Qnt by NAAT, Plasma IU/mL	23-054-114213	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
EBV Qnt by NAAT, Plasma log IU/mL	23-054-114213	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
EBV Qnt by NAAT, Plasma Interp	23-054-114213	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 23-054-114213  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 2/23/2023 2:25:55 PM  
4848