

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/31/1999
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Epstein-Barr Virus by Quantitative NAAT, Plasma

ARUP test code 3006079

EBV Qnt by NAAT, Plasma IU/mL Not Detected

EBV Qnt by NAAT, Plasma log IU/mL Not Detected

EBV Qnt by NAAT, Plasma Interp Not Detected (Ref Interval: Not Detected)

INTERPRETIVE INFORMATION: EBV by Quantitative NAAT, Plasma

The quantitative range of this test is 1.54 - 8.00 log IU/mL (35.0 - 100,000,000 IU/mL).

An interpretation of "Not Detected" does not rule out the presence of inhibitors or EBV DNA concentration below the level of detection of the assay. Care should be taken in the interpretation of any single viral load determination.

International standardization has improved comparability of assay results across laboratories, but discrepancies still exist due to commutability issues with the standard.

VERIFIED/REPORTED DATES

| Procedure | Accession | Collected | Received | Verified/Reported |
|-----------------------------------|---------------|------------------|------------------|-------------------|
| EBV Qnt by NAAT, Plasma IU/mL | 23-052-122141 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |
| EBV Qnt by NAAT, Plasma log IU/mL | 23-052-122141 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |
| EBV Qnt by NAAT, Plasma Interp | 23-052-122141 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: