

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: Unknown
Gender: Unknown
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Autoimmune Stiff-Person Disorders, Serum

ARUP test code 3006234

Neuronal Antibody (Amphiphysin)

Positive * (Ref Interval: Negative)

INTERPRETIVE INFORMATION: Amphiphysin Antibody, IgG

Amphiphysin antibody is present in about 5 percent of patients with stiff-person syndrome and is found variably in other causes of paraneoplastic neurological syndrome (PNS). Amphiphysin antibody is mainly associated with small-cell lung cancer and breast tumors.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

DPPX Ab IgG CBA IFA Screen, Serum

Detected * (Ref Interval: <1:10)

DPPX Antibody, IgG is detected. Titer results to follow.

INTERPRETIVE INFORMATION: DPPX Ab IgG CBA IFA Screen, Serum

Anti-DPPX IgG antibody is found in a subset of patients with autoimmune encephalitis and may occur with or without associated tumor. Decreasing antibody levels may be associated with therapeutic response; therefore, clinical correlation must be strongly considered. A negative test result does not rule out a diagnosis of autoimmune limbic encephalitis.

This indirect fluorescent antibody cell-based assay (CBA) utilizes dipeptidyl aminopeptidase-like protein 6 (DPPX) transfected cells for the detection of the DPPX IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Glutamic Acid Decarboxylase Antibody

15.0 IU/mL H (Ref Interval: 0.0-5.0)

INTERPRETIVE INFORMATION: Glutamic Acid Decarboxylase Antibody

A value greater than 5.0 IU/mL is considered positive for Glutamic Acid Decarboxylase Antibody (GAD Ab). This assay is intended for the semi-quantitative determination of the GAD Ab in human serum. Results should be interpreted within the context of clinical symptoms.

H=High, L=Low, *=Abnormal, C=Critical

Dipeptidyl Aminopeptidase-Like Protein 6 (DPPX) Antibody Titer, IgG by IFA, Serum (Reflex for 3004359 DPPX SER Only - Not Orderable by Clients)

ARUP test code 3004360

DPPX Ab IgG CBA IFA Titer, Serum

1:640 * (Ref Interval: <1:10)

INTERPRETIVE INFORMATION: DPPX IgG Ab Titer, Serum

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

| Procedure | Accession | Collected | Received | Verified/Reported |
|--------------------------------------|---------------|------------------|------------------|-------------------|
| Neuronal Antibody (Amphiphysin) | 23-135-109187 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |
| DPPX Ab IgG CBA IFA Screen, Serum | 23-135-109187 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |
| DPPX Ab IgG CBA IFA Titer, Serum | 23-135-109187 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |
| Glutamic Acid Decarboxylase Antibody | 23-135-109187 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: