

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 6/28/1967  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Helicobacter pylori, Breath Test**

ARUP test code 3006271

H. pylori, Breath Test

Negative (Ref Interval: Negative)

INTERPRETIVE INFORMATION: Helicobacter pylori, Breath Test

A negative result does not rule out the possibility of H. pylori infection. If clinical signs are suggestive of H. pylori infection, retest with a new specimen or an alternate method.

Known causes of false-negative results include:  
1. Ingestion of antimicrobials, proton pump inhibitors, and bismuth preparations during the preceding 2 weeks.

Known causes of false-positive results include:  
1. Patients with achlorhydria.  
2. Rinsing the testing solution in the mouth or not using the straw provided in the kit, which can allow contact with urease-positive bacteria.  
3. The presence of other gastric spiral organisms such as Helicobacter heilmannii.

Note: The post-dose sample must be collected between 15 and 20 minutes post-dose to prevent a false-negative result.

VERIFIED/REPORTED DATES

| Procedure              | Accession     | Collected        | Received         | Verified/Reported |
|------------------------|---------------|------------------|------------------|-------------------|
| H. pylori, Breath Test | 23-098-101414 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00  |

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical