

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/1/1980
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Prenatal Hepatitis Panel

ARUP test code 3006343

Hepatitis C Antibody by CIA Interp

LOW POS * (Ref Interval: Negative)

It is recommended that Low Positive anti-HCV results be evaluated further. HCV RNA testing will determine if the patient is currently infected. Refer to the HCV RNA by Quantitative NAAT result for additional detail.

INTERPRETIVE INFORMATION:

Hepatitis C Virus Antibody by CIA Index:

0.79 IV or less Negative
0.80 to 0.99 IV Equivocal
1.00 to 10.99 IV Low Positive
11.00 IV or greater High Positive
Index Value (IV) = Anti-HCV signal to cutoff (S/C)ratio

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

Hepatitis C Antibody by CIA Index

6.83 IV

Hepatitis B Surface Antigen, Prenatal

See Confirm (Ref Interval: Negative)

The HBSAg screen is repeatedly reactive at a low level. Refer to HBSAg Confirmation test for additional detail.

INTERPRETIVE INFORMATION: Hepatitis B Virus Surface Antigen with Reflex to Confirmation, Prenatal

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular and Tissue-Based Products (HCT/P).

Hepatitis B Virus Surface Antigen Confirmation, Prenatal

ARUP test code 2007575

Hepatitis B Surface Ag Confirm, Prenatal

Positive * (Ref Interval: Non Confirmed)

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

Hepatitis B surface antigen (HBsAg) did neutralize using anti-HBs. This specimen is therefore **POSITIVE** for HBsAg. False positives can occur. If the result is not supported by clinical evidence, repeat testing of a new sample usually helps clarify the diagnosis.

INTERPRETIVE INFORMATION: Hepatitis B Virus Surface Antigen Confirmation, Prenatal

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular and Tissue-Based Products (HCT/P).

Hepatitis C Virus (HCV) by Quantitative NAAT

ARUP test code 3000572

HCV Qnt by NAAT (IU/mL) 3455 IU/mL

HCV Qnt by NAAT (log IU/mL) 3.54 log IU/mL

HCV Qnt by NAAT Interp **Detected * (Ref Interval: Not Detected)**

INTERPRETIVE INFORMATION: HCV by Quantitative NAAT

The quantitative range of this test is 15-100,000,000 IU/mL (1.18-8.0 log IU/mL).

A result of "Not Detected" does not rule out the presence of inhibitors in the patient specimen or hepatitis C virus RNA concentrations below the level of detection of the test. Care should be taken when interpreting any single viral load determination.

This test is intended for use as an aid in the diagnosis of HCV infection in the following populations: individuals with antibody evidence of HCV with evidence of liver disease, individuals suspected to be actively infected with HCV antibody evidence, and individuals at risk for HCV infection with antibodies to HCV. Detection of HCV RNA indicates that the virus is replicating and therefore is evidence of active infection.

This test is also intended for use as an aid in the management of patients with an HCV infection undergoing antiviral therapy. The assay can be used to measure HCV RNA levels at baseline, during treatment, at the end of treatment, and at the end of follow-up of treatment to determine sustained or nonsustained viral response. The results must be interpreted within the context of all relevant clinical and laboratory findings.

This test should not be used for blood donor screening, associated reentry protocols, or for screening human cells, tissues, and cellular tissue-based products (HCT/P).

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis C Antibody by CIA Interp	24-351-125098	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis C Antibody by CIA Index	24-351-125098	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis B Surface Antigen, Prenatal	24-351-125098	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis B Surface Ag Confirm, Prenatal	24-351-125098	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HCV Qnt by NAAT (IU/mL)	24-351-125098	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HCV Qnt by NAAT (log IU/mL)	24-351-125098	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HCV Qnt by NAAT Interp	24-351-125098	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 24-351-125098
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 3 of 3 | Printed: 12/17/2024 9:25:58 AM
4848