

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 4/30/1980
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Prenatal Hepatitis Panel

ARUP test code 3006343

Hepatitis C Antibody by CIA Interp

Negative (Ref Interval: Negative)

Based on the anti-HCV (CIA) screen, the HCV RNA by Quantitative NAAT test is not indicated and therefore not performed.

INTERPRETIVE INFORMATION:

Hepatitis C Virus Antibody by CIA Index:

0.79 IV or less Negative
0.80 to 0.99 IV Equivocal
1.00 to 10.99 IV Low Positive
11.00 IV or greater High Positive
Index value (IV) = Anti-HCV signal to cutoff (S/C)ratio

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

Hepatitis C Antibody by CIA Index

0.05 IV

Hepatitis B Surface Antigen, Prenatal

See Confirm (Ref Interval: Negative)

The HBSAg screen is repeatedly reactive at a low level. Refer to HBSAg Confirmation test for additional detail.

INTERPRETIVE INFORMATION: Hepatitis B Virus Surface Antigen with Reflex to Confirmation, Prenatal

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular and Tissue-Based Products (HCT/P).

Hepatitis B Virus Surface Antigen Confirmation, Prenatal

ARUP test code 2007575

Hepatitis B Surface Ag Confirm, Prenatal

Non Confirmed (Ref Interval: Non Confirmed)

Hepatitis B surface antigen (HBSAg) failed to neutralize using anti-HBS. This specimen is therefore NEGATIVE for HBSAg.

H=High, L=Low, *=Abnormal, C=Critical

INTERPRETIVE INFORMATION: Hepatitis B Virus Surface Antigen Confirmation, Prenatal

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular and Tissue-Based Products (HCT/P).

VERIFIED/REPORTED DATES

| Procedure | Accession | Collected | Received | Verified/Reported |
|--|---------------|------------------|------------------|-------------------|
| Hepatitis C Antibody by CIA Interp | 24-351-125097 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |
| Hepatitis C Antibody by CIA Index | 24-351-125097 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |
| Hepatitis B Surface Antigen, Prenatal | 24-351-125097 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |
| Hepatitis B Surface Ag Confirm, Prenatal | 24-351-125097 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: