

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 1/21/1906

Gender: Male

Patient Identifiers: 01234567890ABCD, 012345

Visit Number (FIN): 01234567890ABCD **Collection Date:** 00/00/0000 00:00

Mycoplasmoides genitalium Detection and Macrolide Resistance by PCR

ARUP test code 3006344

M. genitalium source

Genital Swab

M. genitalium by PCR

Detected

*

Macrolide Resistance by PCR

Resistant

Predicted Resistance-Real time PCR results consistent with common resistance-associated mutations. Macrolide drug resistance is predicted.

INTERPRETIVE INFORMATION: M. genitalium Macrolide Resistance , PCR

Macrolide drug resistance is predicted based on melt probe analysis. Common resistance associated mutations occur at positions A2058, A2059, and A2062 (E. coli numbering) of the 23s rRNA gene. Other mutations of unknown significance may be detected by this assay, however this was not observed in samples sequenced during assay development and validation. This test is intended for use in conjunction with clinical presentation.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

H=High, L=Low, *=Abnormal, C=Critical

4848



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
M. genitalium source	23-142-121443	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
M. genitalium by PCR	23-142-121443	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Macrolide Resistance by PCR	23-142-121443	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical