

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 9/27/1956  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Hepatitis Delta Virus Antibody by ELISA With Reflex to Hepatitis Delta Virus by Quantitative PCR**

ARUP test code 3006379

Hepatitis Delta Antibody by ELISA

**Positive \* (Ref Interval: Negative)**

Antibody to Hepatitis Delta agent was detected. This indicates recent or remote infection with Delta agent in patients that have had Hepatitis B virus infection. Refer to the Hepatitis D by Quantitative PCR test for additional detail.

INTERPRETIVE INFORMATION: Hepatitis Delta Antibody by ELISA

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-Certified laboratory and is intended for clinical purposes.

**Hepatitis Delta Virus by Quantitative PCR**

ARUP test code 2013881

HDV by Quantitative PCR, Source

Serum

HDV by Quantitative PCR, IU/mL

74,700 IU/mL

HDV by Quantitative PCR, Log IU/mL

4.9 log IU/mL

HDV by Quantitative PCR, Interp

**Detected \* (Ref Interval: Not Detected)**

**H=High, L=Low, \*=Abnormal, C=Critical**

**INTERPRETIVE INFORMATION: Hepatitis D by Quantitative PCR**

The quantitative range of this assay is 2.1-6.8 log IU/mL (120 - 5,800,000 IU/mL).

A negative result (less than 2.1 log IU/mL or less than 120 IU/mL) does not rule out the presence of PCR inhibitors in the patient specimen or HDV concentrations below the level of detection of the test. Inhibition may also lead to underestimation of viral quantitation.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

**VERIFIED/REPORTED DATES**

Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis Delta Antibody by ELISA	23-213-154391	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HDV by Quantitative PCR, Source	23-213-154391	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HDV by Quantitative PCR, IU/mL	23-213-154391	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HDV by Quantitative PCR, Log IU/mL	23-213-154391	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HDV by Quantitative PCR, Interp	23-213-154391	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

**END OF CHART**

**H=High, L=Low, \*=Abnormal, C=Critical**

*Unless otherwise indicated, testing performed at:*