

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 8/10/1954
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Body Fluid, Creatinine

ARUP test code 3016598

Body Fluid, Creatinine

0.98 mg/dL

For information on body fluid reference ranges and/or interpretive guidance visit <http://aruplab.com/bodyfluids/>

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes

Creatinine Fluid Source

Ascites fluid

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Body Fluid, Creatinine	23-261-119589	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Creatinine Fluid Source	23-261-119589	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: