

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 10/24/1982
Gender: Unknown
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

HBV Exposure Panel

ARUP test code 3016631

Hepatitis B Core Antibodies, Total

Positive * (Ref Interval: Negative)

The anti-HBc is reactive, which is consistent with recent or remote HBV infection. False positive anti-HBc results are not uncommon.

INTERPRETIVE INFORMATION: Hepatitis B Core Ab (Total)

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

Hepatitis B Surface Antigen

Positive * (Ref Interval: Negative)

The HBsAg screening test is strongly reactive. Therefore, confirmatory testing is not necessary but is available upon request. False positives can occur. If the result is not supported by clinical evidence, repeat testing of a new sample usually helps clarify the diagnosis.

INTERPRETIVE INFORMATION: Hepatitis B Surface Ag

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

Hepatitis B Surface Antibody

3.15 IU/L

The anti-HBs is less than 10 IU/L and is therefore negative. There is no evidence of recovery from hepatitis B infection or evidence of antibody response to HBV vaccination.

An anti-HBs result greater than or equal to 10 IU/L indicates immunity.

Reference Interval: anti-HBs
9.99 IU/L or less Negative
10.00 IU/L or greater ... Positive
Results greater than 1,000.00 IU/L are reported as greater than 1,000.00 IU/L.

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular and Tissue-Based Products (HCT/P).

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis B Core Antibodies, Total	24-016-115931	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis B Surface Antigen	24-016-115931	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis B Surface Antibody	24-016-115931	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 24-016-115931
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 1/17/2024 11:21:51 AM
4848